

Australia

164 Bannister Rd
Canning Vale
WA 6155

South Africa

8 Prop Street
Selby Ext.11
Johannesburg



TRANSPORT & 4WD EQUIPMENT



RETCHET TIE DOWNS
LOAD RESTRAINT KIT
RATCHET LOADBINDERS
TRUCK WINCHES
TRANSPORT CHAIN & FITTINGS

TRANSPORT & 4WD EQUIPMENT

www.loadset.com.au



LOAD RESTRAINT KIT


LASHING CAPACITY: 3800KG

9mtrs (effective length) x 8mm Grade 70 transport chain in Zinc-Dichromatic (gold) finish, complete with Grade 70 Clevis Cradle type Grab Hooks at each end, contained in a handy carry box.
Test Certificate included (Complies to AS/NZS 4344)
Product Code: LBC9X8GH

NOT TO BE USED FOR LIFTING PURPOSES



RATCHET LOADBINDERS



Loadset Ratchet Loadbinder are an effective way to restrain heavy loads in transport applications, with winged grab hooks ensuring the secure full lashing capacity is achieved.

- Manufactured from dropped forged steel, quenched and tempered
- Loadbinders available to suit 6 - 13mm G70 chain
- Conforms to AS4344
- Batch Test Certificate available on request



PRODUCT CODE	CHAIN SIZE mm	LASHING CAPACITY Kg(G70 CHAIN)	WEIGHT/unit KG	DIMENSIONS mm							
				A	B	C	E-O	E-C	F-O	F-C	G
LDBR06G	6	2300	1.6	170	25	40	580	420	620	460	8.9
LDBR8-10G	8 - 10	6000	6	355	35	70	845	640	900	700	14.9
LDBR13G	13	9000	7.2	355	35	70	870	670	950	750	16.9

RATWINDER

- Coil straps in seconds, not minutes
- Can be used left hand, or right hand applications
- Easily fits into a gate pocket or can be mounted directly on to a tray
- Extremely robust design with freewheeling washer and grease nipple
- Double electroplated for increased corrosion resistance



TRUCK WINCHES

Supplied bare or fitted with webbing strap, our truck winches exceed the demanding needs for lashing. Available in clip-on, side-on or gate types. Replacement straps available in 9m lengths. Other size available upon application.




TRANSPORT CHAIN and FITTINGS

Grade 70 Transport chain and fitting, gold coloured. Complies to AS4344



Bulk Chain

Chain Size mm	Lashing Cap. tonnes	S mm	R mm	F mm	Links per metre	Metres per 100kg
6	2.3	6.0	18.0	22.0	55.0	116.0
8	3.8	8.0	23.8	27.0	42.0	68.9
10	6.0	10.0	29.6	34.3	33.8	45.5
13	9.0	13.0	38.0	42.5	26.3	29.6




Clevis Grab Hook

Nom. Chain Size mm	Lashing Cap. tonnes	D mm	H mm	L mm	P mm	R mm	W mm	Weight kg
6	2.3	49	9.5	86	7.9	51	7.9	0.18
8	3.8	57	11.1	100	9.5	61	9.5	0.30
10	6.0	69	12.7	114	11.1	69	11.1	0.45
13	9.0	84	16.7	143	14.3	86	15.1	1.95



Clevis Claw Hook

Nom. Chain Size mm	Lashing Cap. tonnes	D mm	H mm	L mm	P mm	R mm	W mm	Weight kg
8	3.8	42	9	81	9.4	60	9.5	0.3
10	6.0	52	11	101	10.3	75	11.1	0.5



Clevis Lug Link

Nom. Chain size mm	Lashing Cap. tonnes	D mm	H mm	L mm	P mm	R mm	W mm	Weight kg
8	3.8	83	54	140	9.5	108	9.5	0.4
10	6.0	87	54	142	12	107	12	0.5
13	9.0	100	60	200	16	158	14.5	1.5



All Grade 70 Chain and Fittings are NOT TO BE USED FOR LIFTING

Australia

164 Bannister Rd
Canning Vale
WA 6155

South Africa

8 Prop Street
Selby Ext.11
Johannesburg